

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

UCKUN ET AL.

Examiner:

UNKNOWN

Serial No

10/612,215

Group Art Unit:

UNKNOWN

Filed:

JULY 2, 2003

Docket:

12152.70USD1

Due Date:

**OCTOBER 2, 2003** 

Title:

CATHEPSIN INHIBITORS IN CANCER TREATMENT

#### **CERTIFICATE UNDER 37 CFR 1.8:**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on October 2, 2003.

Ву

Name

23552
PATENT TRADEMARK OFFICE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

☐ Transmittal Sheet in duplicate containing Certificate of Mailing

Information Disclosure Statement, Form 1449, 1 Reference(s)

Return postcard

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers or any future reply, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

MERCHANT & GOULD P.C. P.O. Box 2903, Minneapolis, MN 55402-0903 612.332.5300

Name: Anna M. Nelson

Reg. No.: 48,935 ANelson:PSTkaw

**PATENT** 

10/612,215

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

UCKUN ET AL.

Examiner:

UNKNOWN

Serial No.:

10/612,215

Group Art Unit:

UNKNOWN

Filed:

JULY 2, 2003

Docket No.:

12152.70USD1

Title:

CATHEPSIN INHIBITORS IN CANCER TREATMENT

**CERTIFICATE UNDER 37 CFR 1.8:** 

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

# INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

PATENT TRADEMARK OFFICE

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted within three months of the filing date of the above-identified application, which is not an application under 37 C.F.R. § 1.53(d). Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

In accordance with 37 C.F.R. § 1.98(a)(2) and § 1.98(d), copies have been provided only for those items listed on the enclosed Form 1449 that have not previously been cited by or submitted to the U.S. Patent and Trademark Office in parent application, U.S. Serial No. 09/539,739 filed on March 31, 2000 now U.S. Patent No. 6,605,589 B1.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Please charge any additional fees or credit any overpayment to Deposit Account No. 13-2725.

Respectfully submitted,

MERCHANT & GOULD P.C. P.O. Box 2903 Minneapolis, Minnesota 55402-0903 (612) 332-5300

Date: October 2, 2003

Anna M. Nelson

Reg. No. 48,935 AMN:PSTkaw Date Mailed: OCTOBER 2, 2003

(F)	ROPEM 29495 CT 0 6 2003
(A)	TO TRADEMARK

### INFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

Docket Number: 12152.70USD1

Application Number: 10/612,215

Applicant: UCKUN ET AL.

Filing Date: 07/02/2003

Group Art Unit: UNKNOWN

			U	S. PATENT DOCUMEN	NTS			
EXAMINER INITIAL	DOCUMENT NO.		DATE	NAME	CLASS	SUBCLASS		G DATE OPRIATE
	5,883,121		03/16/1999	Yamashita et al.				
	6,605,589	Bl	08/12/2003	Uckun et al.				
			FOR	EIGN PATENT DOCUM	MENTS			
	DOCUM	IENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
	WO 98/49	190	11/05/1998	PCT				
	WO 01/44	464	06/21/2001	PCT				
		OTHER	DOCUMENTS	(Including Author, Title,	Date, Pertinent l	Pages, Etc.)		
		Andreason G. (1993) Electroporation As a Technique for the Transfer of Macromolecules into Mammalian Ce Lines. J. Tiss. Cult. Meth., 15, 56-62  Baldwin E, Bhat T, Gulnik S, Hosur M, Sowder II R, Cachau R, Collins J., Silva A, (1993). Crystal structure of native and inhibited forms of human cathepsin D: Implications for lysosomal targeting and drug design. Proceedings of the process of the proc						
		Natl. Acad. Sci., 90: 6796-6800  Blandino GB, Levine AJ, Oren M (1999). Mutant p53 gain of function: differential effects of different pt mutants on resistance of cultured cells to chemotherapy. Onogene 18: 477-485.						
		Brimmell M, Mendiola R, Mangion J, Packham G (1998). BAX frameshift mutations in cell lines derived from human haemopoietic malignancies are associated with resistance to apoptosis and microsatellite instability. <i>Oncogene</i> 16: 1803-1812.						
		Chisholm V (1995). High efficiency gene transfer into mammalian cells. DNA Cloning IV: A Practical Approach, Mammalian Systems, Glover and Hanes, eds., pp 1-41						
		Chow SC, Weiss M, Kass GE, Holmstrom TH, Eriksson JE, Orrenius S (1995). Involvement of multiple proteases during Fas-mediated apoptosis in T lymphocytes. <i>FEBS Lett</i> 364: 134-138.						
		Cordone I, Masi S, Mauro FR, Soddu S, Morsilli O, Valentini T, Vegna ML, Guglielmi C, Mancini F, Guiliacci S, Sacchi A, Mandelli F, Foa R (1998). p53 Expressions in B-cell chronic lymphocytic leukemia: a marker of disease progression and poor prognosis. <i>Blood</i> 91: 4342-4349.						
		Demuth hydroxan 1295: 179	nates: compariso	n A, Bryan P, Hofke R, on of the selective inhibiti	Kirschke H, ar on of serine and	nd Bromme D (19 cysteine proteinas	996). N-pep es. <i>Biochim</i>	tidyl, O-a <i>Biophys A</i>
				onato NJ (1999). JNK a				

EXAMINER	DATE CONSIDERED

Duffy MJ (1992). The role of proteolytic enzymes in cancer invasion and metastasis. Clin Exp Metastasis 10:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

145-155.

,	FORM 1449

OCT 0 6 2003

### INFORMATION DISCLOSURE STATEMENT

Docket Number: 12152.70USD1

Application Number: 10/612,215

IN AN APPLICATION

Applicant: UCKUN ET AL.

Filing Date: 07/02/2003

(Use several sheets if necessary)

Group Art Unit: UNKNOWN

Manerian	
	Fearnhead HO, Dinsdale D, Cohen GM (1995). An interleukin-1 beta-converting enzyme-like protease is a common mediator of apoptosis in thymocytes. <i>FEBS Lett</i> 375: 283-288.
	Friedrich B, Jung K, Lein M, Turk I, Rudolph B, Mampel G, Schnorr D, and Loening SA (1999). Cathepsin B,H, L and cysteine protease inhibitors in malignant prostate cell lines, primary cultured prostatic cells and prostatic tissue. <i>Eur J Cancer</i> 35: 138-144.
	Garcia-Calvo M, Peterson EP, Leiting B, Ruel R, Nicholson DW, Thornberry NA (1998). Inhibition of human caspases by peptide-based and macromolecular inhibitors. <i>J Biol Chem</i> 273: 32608-32613.
	Graham F, Van Der Eb A (1973). A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA. Virology, 52, 456-457
	Graham F, Prevec L, (1991). Manipulation of Adenovirus Vectors. Gene Transfer and Expression Protocols, pp 109-128,
	Green DR, Reed JC (1998). Mitochondria and apoptosis. Science 281: 1309-1312.
	Guitiérrez MI, Cherney B, Hussain A, Mostowski H, Tosato G, Magrath I, Bhatia K (1999). Bax is frequently compromised in Burkitt's lymphomas with irreversible resistance to Fas-induced apoptosis. <i>Cancer Res</i> 59: 696-703.
	Heidtmann HH, Salge U, Abrahamson M, Bencina M, Kastalic L, Kopitar-Jerala N, Turk V, and Lah TT (1997). Cathepsin B and cysteine protease inhibitors in human lung cancer cell lines. <i>Clin Exp Metastasis</i> 15: 368-381.
	Henkart PA (1996). ICE family protease: mediators of all apoptotic death? <i>Immunity</i> 4: 195-201.
	Isahara K, Ohsawa Y, Kanamori S, Shibata M, Waguri S, Sato N, Gotow T, Watanabe T, Momoi T, Urase K, Kominami E, and Uchiyama Y (1999). Regulation of a novel pathway for cell death by lysosomal aspartic and cysteine proteases. <i>Neuroscience</i> 91: 233-249.
	Jones B, Roberts PJ, Faubion WA, Kominami E, and Gores GJ (1998). Cystatin A expression reduces bile salt - induced apoptosis in a rat hepatoma cell line. <i>Am J Physiol</i> 275: G723-730.
	Kao F, Puck T. (1968). Genetics of Somatic Mammalian Cells, VII. Induction and Isolation of Nutritional Mutants in Chinese Hamster Cells. <i>Proc. Natl. Acad. Sci. USA</i> , 60, 1275-1281
	Keppler D, Sameni M, Moin K, Mikkelsen T, Diglio C, and Sloane B (1996). Tumor progression and angiogenesis: cathepsin B & Co. <i>Biochem Cell Biol</i> 74: 799-810.
	Keyszer G, Heer A, Kriegsmann J, Geiler T, Trabandt A, Keysser M, Gay R, Gay S, (1995). Comparative Analysis of Cathepsin L, Cathepsin D, and Collagenase Messenger RNA Expression in Synovial Tissues of patients with rheumatoid arthritis and osteoarthritis, by in Situ Hybridization. <i>Arthritis Rheum.</i> , 38: 976-984
	Kos J. and Lah TT (1998). Cysteine proteinase and their endogenous inhibitors: Target proteins for prognosis, diagnosis and therapy in cancer (Review). <i>Oncol Rep</i> 5: 1349-1361.
	Krueger, S., Haeckel, C., Buehling, F., and Roessner, A. (1999) "Inhibitory Effects of Antisense Cathepsin B cDNA Transfection on Invasion and Motility in a Human Osteosarcoma Cell Line". Cancer Research, 59:6010-6014.
	Leto, G. et al., "Effects of E-64 (Cysteine-Proteinase Inhibitor) and Pepstatin (Aspartyl-Proteinase Inhibitor) on Metastasis Formation in Mice with Mammary and Ovarian Tumors," <i>In Vivo</i> , Vol. 8, pp. 231-236 (1994)

<del></del>	 	
EXAMINER	DATE CONSIDERED	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Sheet 3 of 4

Date Mailed: OCTOBER 2, 2003

FORM 1449* INFORMATION DISCLOSURE STAT	Docket Number: 12152.70USD1	Application Number: 10/612,215
in an application	Applicant: UCKUN E	T AL.
OCT 0 6 2003 (Use several sheets if necessary)	Filing Date: 07/02/200	Group Art Unit: UNKNOWN

THE THE REPORT OF	Li D Nill D D II II I Civilian I CM Abasel M Alasani E Wang V (1007) Catashrama a and
	Li P, Nijhawan D, Budihardjo I, Srinivasula SM, Ahmad M, Alnemri E, Wang X (1997). Cytochrome c and dATP-dependent formation of Apaf-1/caspase-9 complex initiates an apoptotic protease cascade. <i>Cell</i> 91: 479-489.
	Lowe SW, Ruley HE, Jacks T, Housman DE (1993). p53-dependent apoptosis modulates the cytotoxicity of anticancer agents. Cell 74: 957-967.
	Lowe SW, Schmitt EM, Smith SW, Osborne BA, Jacks T (1993b). p53 is required for radiation-induced apoptosis in mouse thymocytes. Nature 362: 847-849.
	Magi-Galluzzi C, Montironi R, Cangi MG, Wishnow K, Loda M (1998). Mitogen-activated protein kinases and apoptosis in PIN. Virchows Arch 432: 407-413.
	Makarewicz R, Drewa G, Szymanski W, and Skonieczna-Makarewicz I (1995). Cathepsin B in predicting the extent of the cervix carcinoma. <i>Neoplasma</i> 42: 21-24.
	Meijerink JP, Mensink EJ, Wang K, Sedlak TW, Sloetjes AW, de Witte T, Waksman G, Korsmeyer SJ (1998). Hematopoietic malignancies demonstrate loss-of-function mutations of BAX. <i>Blood</i> 91: 2991 - 2997.
	Memon SA, Moreno MB, Petrak D, Zacharchuk CM (1995). Bcl-2 blocks glucocorticoid - but not as Fas - or activation- induced apoptosis in a T cell hybridoma. <i>J Immunol</i> 155: 4644-4652.
	Mizuochi T, Yee S-T, Kasai M, Kakiuchi T, Muno D, Kominami E (1994). Both cathepsin B and cathepsin D are necessary for processing of ovalbumin as well as fo rdegradation of class II MHC invariant chain. <i>Immunol. Lett.</i> , 43: 189-193
	Myers D, Jun X, Waddick K, Forsyth C, Chelstrom L, Gunther R, Tumer N, Bolen J, Uckun F. (1995). Membrane-associated CD19-LYN complex is an endogenous p53-independent and Bcl-2-independent regulator of apoptosis in human B-lineage lymphoma cells. <i>Proc. Natl. Acad. Sci. USA</i> , 92: 9575-9579
	Mort JS, and Buttle DJ. Cathepsin B (1997). Int J Biochem Cell Biol 29: 715-720.
	Peller S (1998). Clinical implications of p53: effect on prognosis, tumor progression and chemotherapy response. Cancer Biol. 8: 379-387.
	Pronk GJ, Ramer K, Amiri P, Williams LT (1996). Requirement of an ICE-like protease for induction of apoptosis and ceramide generation by REAPER. <i>Science</i> 271: 808-810.
	Roberts LR, Kurosawa H, Bronk SF, Fesmier PJ, Agellon LB, Leung W-Y, Mao F, and Gores GJ (1997). Gastroenterology 113: 1714-1726.
	Rooprai HK, and McCormick D (1997). Proteases and their inhibitors in human brain tumors: a review. Anticancer Res 17: 4151-4162.
	Sameni M, Elliott E, Ziegler G, Fortgens PH, Dennison C and Sloane BF (1995). Cathepsin B and cathepsin D are localized at the surface of human breast cancer cells. <i>Pathol Oncol Res</i> 1: 43-53.
	Schlegel J, Peters I, Orrenius S, Miller DK, Thormberry NA, Yamin TT, Nicholson DW (1996). CPP32/apopain is a key interleukin 1 beta converting enzyme-like protease involved in Fas-mediated apoptosis. <i>J Biol Chem</i> 271: 1841-1844.
	Shibata M, Kanamori S, Isahara K, Ohsawa Y, Konishi A, Kametaka S, Watanabe T, Ebisu S, Ishido K, Kominami E, and Uchiyama Y (1998). Participation of cathepsins B and D in apoptosis of PC12 cells following serum deprivation. <i>Biochem Biophys Res Commun</i> 251: 199-203.

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: OCTOBER 2, 2003

FORM 1249* INFORMATION DISCLOSURE STA	Docket Number: 12152.70USD1	Application Number: 10/612,215
IN AN APPLICATION	Applicant: UCKUN	ET AL.
OCT 0 6 2003 E IN AN APPLICATION (Use several sheets if necessar	ry) Filing Date: 07/02/20	003 Group Art Unit: UNKNOWN

Sivaparvathi et al., "Expression of cathepsin D during the progression of human gliomas," <i>Neurosci Lett.</i> , Vol. 208, pp. 171-174 (1996)
Slee EA, Zhu H, Chow SC, MacFarlane M, Nicholson DW, Cohen GM (1996). Benzyloxycarbonyl-Val-Ala-Asp (OMe) fluoromethylketone (Z-VAD.FMK) inhibits apoptosis by blocking the processing of CPP32. Biochem J 315: 21-24.
Sloane BF, Moin F, Sameni M, Tait LR, Rozhin J, and Ziegler G (1994). Membrane-association of cathepsin B can be induced by transfection of human breast cells with c-Ha-ras oncogene. <i>J Cell Sci</i> 107: 373-384.
Soderstrom, K-O. et al., "Expression of Acid Cysteine Proteinase Inhibitor (ACPI) in the Normal Human Prostate, Benign Prostatic Hyperplasia and Adenocarcinoma," <i>In. J. Cancer</i> , Vol. 62, pp. 1-4 (1995)
Strohmaier AR, Porwol T, Acker H, and Spiess E (1997). Tomography of cells by confocal laser scanning microscopy and computer-assisted three-dimensional image resonstruction: localization of cathepsin B in tumor cells penetrating collagen gels in vitro. J Histochem Cytochem 45: 975-983.
Summers M, Smith G (1987). A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures. Texas Agriculture Experiment Station Bulletin, 1555
Thornberry NA, Lazebnik Y (1998). Caspases: enemies within. Science 281: 1312-1316.
Uckun FM, Waddick KG, Mahajan S, Xiao J, Takata M, Bolen J, Kurosaki T (1996). BTK is a mediator of radiation-induced apoptosis in DT-40 lymphoma B cells. <i>Science</i> 273: 1096-1100.
Vasilakos JP, Ghayur T, Carroll RT, Giegel DA, Saunders JM, Quintal L, Keane KM, Shivers BD (1995). IL-1 beta converting enzyme (ICE) is not required for apoptosis induced by lymphokine deprivation in an IL-2 dependent T cell line. <i>J Immunol</i> 155(7): 3433-3442.
Weiss RE, Liu BC, Ahlering T, and Dubeau MJ (1990). Mechanism of human bladder tumor invasion: role of protease cathepsin B. <i>J Urol</i> 144: 798-804.
Wyllie A, Kerr J, Currie A (1980) Cell Death: The Significance of Apoptosis. Int. Rev. Cytol., 68: 251-306
Xia Z, Dickens M, Raingeaud J, Davis RJ, Greenberg ME (1995). Opposing effects of ERK and JNK-p38 MAP kinases on apoptosis. <i>Science</i> 270: 1326-1331.
Xing, R. et al., "Control of Breast Tumor Cell Growth Using a Targeted Cysteine Protease Inhibitor," Cancer Res., Vol. 58, pp. 904-909 (1998)
Yan S, Sameni M. and Sloane BF (1998). Cathepsin B and human tumor progression. <i>Biol Chem</i> 379: 113-123.
Zhu D-M, Fang W-H, Narla R-K, and Uckun FM (1999). A requirement for protein kinase C inhibition for calcium-triggered apoptosis in Acute lymphoblastic leukemia cells. Clin Can Res 5: 355-360.
Zhu, DM. and Uckun, F.M. (2000) "Z-Phe-Gly-NHO-Bz, an Inhibitor of Cysteine Cathepsins, Induces Apoptosis in Human Cancer Cells". Clinical Cancer Research, 6:2064-2069.
Zhu, DM. and Uckun, F.M. (2000) "Cathepsin Inhibition Induces Apoptotic Death in Human Leukemia and Lymphoma Cells". Leukemia and Lymphoma, 39:343-354.
 Zuo H, Henzel WJ, Liu X, Lutschg A, Wang X (1997). Apaf-1, a human protein homologous to C. elegans CED-4, participates in cytochrome c-dependent activation of caspase-3. <i>Cell</i> 90: 405-413.

EXAMINER DATE CONSIDERED PATENT TRADEMARK OFFICE			23552
	EXAMINER	DATE CONSIDERED	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.